	SDOF linear oscillator	Outline	SDOF linear oscillator
	Giacomo Boffi		Giacomo Boffi
	Response to Periodic Loading		Response to Periodic Loading
SDOF linear oscillator	Fourier Transform The Discrete Fourier Transform	Response to Periodic Loading	Fourier Transform The Discrete Fourier Transform
Response to Periodic and Non-periodic Loadings	Response to General Dynamic Loadings	Fourier Transform	Response to General Dynamic Loadings
Giacomo Boffi			
Dipartimento di Ingegneria Civile e Ambientale, Politecnico di Milano		The Discrete Fourier Transform	
March 25, 2014		Response to General Dynamic Loadings	
Response to Periodic Loading	SDOF linear oscillator	Introduction	SDOF linear oscillator
Response to Periodic Loading Introduction Fourier Series Representation Fourier Series of the Response An example An example		Introduction A periodic loading is characterized by the identity p(t) = p(t + T) where T is the period of the loading, and $\omega_1 = \frac{2\pi}{T}$ is its principal frequency.	
Response to Periodic Loading Introduction Fourier Series Representation Fourier Series of the Response An example	oscillator Giacomo Boffi Response to Periodic Loading Introduction Fourier Series An example Fourier Transform The Discrete Fourier Transform Response to General Dynamic	A periodic loading is characterized by the identity $p(t) = p(t + T)$ where T is the period of the loading, and $\omega_1 = \frac{2\pi}{T}$ is its principal frequency.	oscillator Giacomo Boffi Response to Periodic Loading Introduction Fourier Series Representation Fourier Series of the Response An example An example Fourier Transform The Discrete Fourier Transform Response to General Dynamic

Introduction

Periodic loadings can be expressed as an infinite series of harmonic functions using the Fourier theorem, e.g., for an antisymmetric loading you can write

$$p(t) = -p(-t) = \sum_{j=1}^{\infty} p_j \sin j \omega_1 t = \sum_{j=1}^{\infty} p_j \sin \omega_j t.$$

The steady-state response of a SDOF system for a harmonic loading $\Delta p_i(t) = p_i \sin \omega_i t$ is known; with $\beta_i = \omega_i / \omega_n$ it is:

$$x_{j,s-s} = \frac{p_j}{k} D(\beta_j, \zeta) \sin(\omega_j t - \theta(\beta_j, \zeta)).$$

In general, it is possible to sum all steady-state responses, the infinite series giving the SDOF response to p(t). Due to the asymptotic behaviour of $D(\beta; \zeta)$ (D goes to zero for large, increasing β) it is apparent that a good approximation to the steady-state response can be obtained using a limited number of low-frequency terms.

Fourier Coefficients

If p(t) has not an analytical representation and must be measured experimentally or computed numerically, we may assume that it is possible

(a) to divide the period in N equal parts $\Delta t = T_p/N$,

(b) measure or compute p(t) at a discrete set of instants t_1, t_2, \ldots, t_N , with $t_m = m\Delta t$,

obtaining a discrete set of values p_m , m = 1, ..., N (note that $p_0 = p_N$ by periodicity).

Using the trapezoidal rule of integration, with $p_0 = p_N$ we can write, for example, the cosine-wave amplitude coefficients,

$$a_{j} \approx \frac{2\Delta t}{T_{p}} \sum_{m=1}^{N} p_{m} \cos \omega_{j} t_{m}$$
$$= \frac{2}{N} \sum_{m=1}^{N} p_{m} \cos(j\omega_{1}m\Delta t) = \frac{2}{N} \sum_{m=1}^{N} p_{m} \cos\frac{jm2\pi}{N}.$$

It's worth to note that the discrete function $\cos \frac{jm2\pi}{N}$ is periodic with period N

Fourier Series

SDOF linear

oscillator

Giacomo Boffi

SDOF linear

oscillator

Giacomo Boffi

Fourier Series

Representation

Introduction

SDOF linear oscillator

Giacomo Boffi

Fourier Series Representation

Using Fourier theorem any *practical* periodic loading can be expressed as a series of harmonic loading terms. Consider a loading of period T_p , its Fourier series is given by

$$p(t) = a_0 + \sum_{j=1}^{\infty} a_j \cos \omega_j t + \sum_{j=1}^{\infty} b_j \sin \omega_j t, \quad \omega_j = j \omega_1 = j \frac{2\pi}{T_p},$$

where the harmonic amplitude coefficients have expressions:

$$a_0 = \frac{1}{T_p} \int_0^{T_p} p(t) \, \mathrm{d}t, \quad a_j = \frac{2}{T_p} \int_0^{T_p} p(t) \cos \omega_j t \, \mathrm{d}t,$$

 $b_j = \frac{2}{T_p} \int_0^{T_p} p(t) \sin \omega_j t \, \mathrm{d}t,$

as, by orthogonality, $\int_{o}^{T_{p}} p(t) \cos\omega_{j} dt = \int_{o}^{T_{p}} a_{j} \cos^{2} \omega_{j} t dt = \frac{T_{p}}{2} a_{j}, \text{ etc etc.}$

Exponential Form

The Fourier series can be written in terms of the exponentials of imaginary argument,

$$p(t) = \sum_{j=-\infty}^{\infty} P_j \exp i\omega_j t$$

where the complex amplitude coefficients are given by

$$P_j = \frac{1}{T_p} \int_0^{T_p} p(t) \exp i\omega_j t \, \mathrm{d}t, \qquad j = -\infty, \dots, +\infty.$$

For a sampled p_m we can write, using the trapezoidal integration rule and substituting $t_m = m\Delta t = m T_p/N$, $\omega_i = j 2\pi / T_p$:

$$P_j \simeq rac{1}{N} \sum_{m=1}^N p_m \exp(-i rac{2\pi j m}{N}),$$

SDOF linear oscillator

Giacomo Boffi

Fourier Series Representatio



Undamped Response

We have seen that the steady-state response to the *j*th sine-wave harmonic can be written as

$$x_j = rac{b_j}{k} \left[rac{1}{1 - eta_j^2}
ight] \sin \omega_j t, \qquad eta_j = \omega_j / \omega_{\mathsf{n}},$$

analogously, for the *j*th cosine-wave harmonic,

$$x_j = rac{a_j}{k} \left[rac{1}{1-eta_j^2}
ight] \cos \omega_j t.$$

Finally, we write

$$x(t) = \frac{1}{k} \left\{ a_0 + \sum_{j=1}^{\infty} \left[\frac{1}{1 - \beta_j^2} \right] (a_j \cos \omega_j t + b_j \sin \omega_j t) \right\}$$

Example

As an example, consider the loading $p(t) = \max\{p_0 \sin \frac{2\pi t}{T_p}, 0\}$

$$\begin{aligned} a_0 &= \frac{1}{T_p} \int_0^{T_p/2} p_o \sin \frac{2\pi t}{T_p} \, \mathrm{d}t = \frac{p_0}{\pi}, \\ a_j &= \frac{2}{T_p} \int_0^{T_p/2} p_o \sin \frac{2\pi t}{T_p} \, \cos \frac{2\pi j t}{T_p} \, \mathrm{d}t \\ &= \begin{cases} 0 & \text{for } j \text{ odd} \\ \frac{p_0}{\pi} \left[\frac{2}{1-j^2}\right] & \text{for } j \text{ even}, \end{cases} \\ b_j &= \frac{2}{T_p} \int_0^{T_p/2} p_o \sin \frac{2\pi t}{T_p} \sin \frac{2\pi j t}{T_p} \, \mathrm{d}t = \begin{cases} \frac{p_0}{2} & \text{for } j = 1 \\ 0 & \text{for } n > 1. \end{cases} \end{aligned}$$

Damped Response

SDOF linear

oscillator

Giacomo Boffi

Fourier Series of the

SDOF linear

oscillator

Giacomo Boffi

An example

Response

In the case of a damped oscillator, we must substitute the steady state response for both the jth sine- and cosine-wave harmonic,

$$\begin{aligned} x(t) &= \frac{a_0}{k} + \frac{1}{k} \sum_{j=1}^{\infty} \frac{+(1-\beta_j^2) a_j - 2\zeta\beta_j b_j}{(1-\beta_j^2)^2 + (2\zeta\beta_j)^2} \cos \omega_j t + \\ &+ \frac{1}{k} \sum_{j=1}^{\infty} \frac{+2\zeta\beta_j a_j + (1-\beta_j^2) b_j}{(1-\beta_j^2)^2 + (2\zeta\beta_j)^2} \sin \omega_j t. \end{aligned}$$

Response to Periodic Loadin Introduction Fourier Series Representation Fourier Series of the Response

An example An example

Fourier Transform

Response to General Dynamic Loadings

As usual, the exponential notation is neater,

$$x(t) = \sum_{j=-\infty}^{\infty} \frac{P_j}{k} \frac{\exp i\omega_j t}{(1-\beta_j^2) + i(2\zeta\beta_j)}$$

Example cont.

Assuming $\beta_1 = 3/4$, from $p = \frac{p_0}{\pi} \left(1 + \frac{\pi}{2} \sin \omega_1 t - \frac{2}{3} \cos 2\omega_1 t - \frac{2}{15} \cos 4\omega_2 t - \dots\right)$ with the dynamic amplification factors

$$D_1 = \frac{1}{1 - (1\frac{3}{4})^2} = \frac{16}{7},$$

$$D_2 = \frac{1}{1 - (2\frac{3}{4})^2} = -\frac{4}{5},$$

$$D_4 = \frac{1}{1 - (4\frac{3}{4})^2} = -\frac{1}{8},$$

etc, we have

$$x(t) = \frac{p_0}{k\pi} \left(1 + \frac{8\pi}{7} \sin \omega_1 t + \frac{8}{15} \cos 2\omega_1 t + \frac{1}{60} \cos 4\omega_1 t + \dots \right)$$

Take note, these solutions are particular solutions! If your solution has to respect given initial conditions, you must consider also the homogeneous solution.

SDOF linear oscillator

Giacomo Boffi

Periodic Loading Introduction Fourier Series Representation Fourier Series of the Response An example An example

Fourier Transform


The Discrete Fourier Transform

> Response to General Dynamic Loadings

 $D_6 = ...$

SDOF linear oscillator

Giacomo Boffi



SDOF Response

In analogy to what we have seen for periodic loads, the response of a damped SDOF system can be written in terms of $H(i\omega)$, the complex frequency response function,

$$x(t) = rac{1}{2\pi} \int_{-\infty}^{+\infty} H(i\omega) P(i\omega) \exp i\omega t \, dt$$
, where

$$H(i\omega) = \frac{1}{k} \left[\frac{1}{(1-\beta^2) + i(2\zeta\beta)} \right] = \frac{1}{k} \left[\frac{(1-\beta^2) - i(2\zeta\beta)}{(1-\beta^2)^2 + (2\zeta\beta)^2} \right], \quad \beta =$$

To obtain the response through frequency domain, you should evaluate the above integral, but analytical integration is not always possible. and when it is possible, it is usually very difficult, implying contour integration in the complex plane (for an example, see Example **E6-3** in Clough Penzien).

Outline of the Discrete Fourier Transform SDOF linear SDOF linear oscillator oscillator Giacomo Boffi Giacomo Boffi The Discrete Response in the Frequency Fourier Transform The Discrete Fourier Transform The Discrete Fourier Transform Aliasing The Fast Fourier Transform

Discrete Fourier Transform

To overcome the analytical difficulties associated with the inverse Fourier transform, one can use appropriate numerical methods, leading to good approximations.

Consider a loading of finite period T_p , divided into N equal intervals $\Delta t = T_p/N$, and the set of values $p_s = p(t_s) = p(s\Delta t)$. We can approximate the complex amplitude coefficients with a sum,

$$P_r = \frac{1}{T_p} \int_0^{T_p} p(t) \exp(-i\omega_r t) dt, \quad \text{that, by trapezoidal rule, is}$$
$$\approx \frac{1}{N\Delta t} \left(\Delta t \sum_{s=0}^{N-1} p_s \exp(-i\omega_r t_s) \right) = \frac{1}{N} \sum_{s=0}^{N-1} p_s \exp(-i\frac{2\pi rs}{N}).$$

SDOF linear oscillator Giacomo Boffi

Domain

ω

 ω_n

The Discrete Fourier Transform

Discrete Fourier Transform (2)

In the last two passages we have used the relations $p_N = p_0$, $\exp(i\omega_r t_N) = \exp(ir\Delta\omega T_p) = \exp(ir2\pi) = \exp(i0)$ $\omega_r t_s = r\Delta\omega s\Delta t = rs \frac{2\pi}{T_p} \frac{T_p}{N} = \frac{2\pi rs}{N}.$

Take note that the discrete function $\exp(-i\frac{2\pi rs}{N})$, defined for integer r, s is periodic with period N, implying that the complex amplitude coefficients are themselves periodic with period N. $P_{r+N} = P_r$

Starting in the time domain with
$$N$$
 distinct complex numbers, p_s , we have found that in the frequency domain our load is described by N distinct complex numbers, P_r , so that we can say that our function is described by the same amount of information in both domains.

SDOF linear oscillator

Giacomo Boffi

The Discrete Fourier Transform

Aliasing SDOF linear Aliasing (2)oscillator Giacomo Boffi Only N/2 distinct frequencies $(\sum_{0}^{N-1} = \sum_{-N/2}^{+N/2})$ consin(21 * (2π)/T_p * s T_p/N), N=20, s=0,..,20 -sin(22 * (2π)/T_p * s T_p/N), N=20, s=0,..,20 tribute to the load represen-▶ The maximum frequency that can be described in the tation, what if the *frequency* DFT is called the Nyquist frequency, $\omega_{Ny} = \frac{1}{2} \frac{2\pi}{\Delta t}$. content of the loading has Aliasing ► It is usual in signal analysis to remove the signal's contributions from frequenhigher frequency components preprocessing the signal cies higher than $\omega_{N/2}$? What happens is *aliasing*, i.e., the with a *filter* or a *digital filter*. upper frequencies contribu-▶ It is worth noting that the *resolution* of the DFT in the tions are mapped to contrifrequency domain for a given sampling rate is butions of lesser frequency. See the plot above: the contributions from the high frequency sines, proportional to the number of samples, i.e., to the when sampled, are indistinguishable from the contributions from lower duration of the sample. frequency components, i.e., are *aliased* to lower frequencies!

The Fast Fourier Transform

The operation count in a DFT is in the order of N^2 A Fast Fourier Transform is an algorithm that reduces the operation count. The first and simpler FFT algorithm is the *Decimation in Time* algorithm by Tukey and Cooley (1965).

Assume N is even, and divide the DFT summation to consider even and odd indices \boldsymbol{s}

$$X_r = \sum_{s=0}^{N-1} x_s e^{-\frac{2\pi i}{N}sr}, \qquad r = 0, \dots, N-1$$
$$= \sum_{q=0}^{N/2-1} x_{2q} e^{-\frac{2\pi i}{N}(2q)r} + \sum_{q=0}^{N/2-1} x_{2q+1} e^{-\frac{2\pi i}{N}(2q+1)r}$$

collecting $e^{-\frac{2\pi i}{N}r}$ in the second term and letting $\frac{2q}{N} = \frac{q}{N/2}$

$$=\sum_{q=0}^{N/2-1} x_{2q} e^{-\frac{2\pi i}{N/2}qr} + e^{-\frac{2\pi i}{N}r} \sum_{q=0}^{N/2-1} x_{2q+1} e^{-\frac{2\pi i}{N/2}qr}$$

We have two DFT's of length N/2, the operations count is hence $2(N/2)^2 = N^2/2$, but we have to combine these two halves in the full DFT.

SDOF linear oscillator Giacomo Boffi

onse to

Fourier Transfor

The Discrete Fourier Transform Aliasing The Fast Fourier Transform

Response to General Dynamic Loadings

The Fast Fourier Transform

Say that

$$X_r = E_r + e^{-\frac{2\pi i}{N}r}C$$

where E_r and O_r are the even and odd half-DFT's, of which we computed only coefficients from 0 to N/2 - 1. To get the full sequence we have to note that

1. the *E* and *O* DFT's are periodic with period N/2, and

2.
$$\exp(-2\pi i (r+N/2)/N) = e^{-\pi i} \exp(-2\pi i r/N) = -\exp(-2\pi i r/N)$$

so that we can write

$$X_r = \begin{cases} E_r + \exp(-2\pi i r/N)O_r & \text{if } r < N/2, \\ E_{r-N/2} - \exp(-2\pi i r/N)O_{r-N/2} & \text{if } r \ge N/2. \end{cases}$$

The algorithm that was outlined can be applied to the computation of each of the half-DFT's when N/2 were even, so that the operation count goes to $N^2/4$. If N/4 were even ...

SDOF linear oscillator

SDOF linear

oscillator

Giacomo Boffi

Aliasing

Giacomo Boffi

sponse to

-Fourier Transform

The Discrete Fourier Transform The Discrete Fourier Transform Aliasing

Response to General Dynamic

The Fast Fourier

Transform

<pre>def fft2(X, N): if N = 1 then Y = X else Y0 = fft2(X0, N/2) Y1 = fft2(X1, N/2) for k = 0 to N/2-1 Y_k = Y0_k + exp(2 pi i k/N) Y1_k Y_(k+N/2) = Y0_k - exp(2 pi i k/N) Y1_k endfor endif return Y</pre>	SDOF linear oscillator Giacomo Boffi Response to Periodic Loading Fourier Transform The Discrete Fourier Transform Aliasing The Fast Fourier Transform Aliasing The Fast Fourier Transform Response to General Dynamic Loadings	<pre>from cmath import exp, pi def d _fft(x,n): """Direct_ift_uof_ux,_ua_list_uof_un=2**m_complex_uvalues""" return _fft(x,n,[exp(-2*pi*lj*k/n) for k in range(n/2)]) def i _fft(x,n): """loverse_ift_uof_ux,_ua_list_uof_un=2**m_complex_uvalues""" transform = _fft(x,n,[exp(+2*pi*lj*k/n) for k in range(n/2)])] return [x/n for x in transform] def _fft(x, n, twiddle): """Decimation_uin_Time_FFT,_uto_be_ccalled_uby_udfft_uandui_fft. uuuuxuuuis_utheusignal_uto_transform _ua_list_uof_ucomplex_uvalues uuuutwuuis_ua_list_uof_twiddle_factors .uprecomputed_uby_utheu_caller uuuu_returns_ua_list_uof_complex_uvalues .uto_be_unormalized_uin_case_uof_uan uuuu inverse_transform """ if n == 1: return x # bottom reached, DFT of a length 1 vec x is x # call fft with the even and the odd coefficients in x # the results are the so called even and odd DFT's y_0 = _fft(x[0::2], n/2, tw[::2]) # assemble the partial results "in_place": # 1st half of full DFT is put in even DFT, 2nd half in odd DFT for k in range(n/2):</pre>	SDOF linear oscillator Giacomo Boffi Response to Periodic Loading Fourier Transform The Discrete Fourier Transform Aliasing The Fast Fourier Transform Response to General Dynamic Loadings
<pre>def main(): """Run_some_test_cases""" from cmath import cos, sin, pi def testit(title, seq): """ utility_to_Gformat_and_print_a_vector_and_the_ifft_of_its_fft"" I_seq = len(seq) print "-"*5. print "\n".join(["%10.6f_u::_0%10.6f_u%10.6fj" % (a.real, t.real, t.imag) for (a, t) in zip(seq, i_fft(d_fft(seq, l_seq), l_seq))]) length = 32 testit("Square_wave", [+1.0+0.0j]*(length/2) + [-1.0+0.0j]*(length/2) testit("Sine_wave", [sin((2*pi*k)/length) for k in range(length)]) testit("Cosine_wave", [cos((2*pi*k)/length) for k in range(length)]) ifname_ == "main": </pre>	The Discrete Fourier Transform Aliasing The Fast Fourier Transform Response to General Dynamic Loadings	Dynamic Response (1) To evaluate the dynamic response of a linear SDOF system in the frequency domain use the inverse DFT, $x_s = \sum_{r=0}^{-1} V_r \exp(i\frac{2\pi rs}{N}), s = 0, 1,, N-1$ where $V_r = H_r P_r$. P_r are the discrete complex amplitude coefficients computed using the direct DFT, and H_r is the discretization of the complex frequency response function, that for viscous damping is $H_r = \frac{1}{k} \left[\frac{1}{(1-\beta_r^2)+i(2\zeta\beta_r)} \right] = \frac{1}{k} \left[\frac{(1-\beta_r^2)-i(2\zeta\beta_r)}{(1-\beta_r^2)^2+(2\zeta\beta_r)^2} \right], \beta_r = \frac{\omega_r}{\omega_n}.$ while for hysteretic damping is $H_r = \frac{1}{k} \left[\frac{1}{(1-\beta_r^2)+i(2\zeta)} \right] = \frac{1}{k} \left[\frac{(1-\beta_r^2)-i(2\zeta)}{(1-\beta_r^2)^2+(2\zeta)^2} \right].$	SDOF linear oscillator Giacomo Boffi Response to Periodic Loading Fourier Transform The Discrete Fourier Transform Aliasing The Fast Fourier Transform Response to General Dynamic Loadings

Some words of caution

If you're going to approach the application of the complex frequency response function without proper concern, you're likely to be hurt. Let's say $\Delta \omega = 1.0$, N = 32, $\omega_n = 3.5$ and r = 30, what do you think it is the value of β_{30} ? If you are thinking $\beta_{30} = 30 \Delta \omega / \omega_n = 30/3.5 \approx 8.57$ you're wrong! Due to aliasing, $\omega_r = \begin{cases} r\Delta\omega & r \leq N/2\\ (r-N)\Delta\omega & r > N/2 \end{cases}$ note that in the upper part of the DFT the coefficients correspond to negative frequencies and, staying within our example, it is $\beta_{30} = (30 - 32) \times 1/3.5 \approx -0.571$. If N is even, $P_{N/2}$ is the coefficient corresponding to the Nyquist frequency, if N is odd P_{N-1} corresponds to the largest positive frequency, while $P_{\frac{N+1}{2}}$ corresponds to the largest negative frequency.

Response to a short duration load

An approximate procedure to evaluate the maximum displacement for a short impulse loading is based on the impulse-momentum relationship,

$$m\Delta \dot{x} = \int_0^{t_0} \left[p(t) - k x(t) \right] \, \mathrm{d}t.$$

When one notes that, for small t_0 , the displacement is of the order of t_0^2 while the velocity is in the order of t_0 , it is apparent that the kx term may be dropped from the above expression, i.e.,

$$m\Delta \dot{x} \cong \int_0^{t_0} p(t) \, \mathrm{d}t.$$

Response to infinitesimal impulse

SDOF linear

oscillator Giacomo Boffi

SDOF linear

oscillator Giacomo Boffi

The Fast Fourier Transform

Respor

Respon

Using the previous approximation, the velocity at time t_0 is

$$\dot{x}(t_0) = \frac{1}{m} \int_0^{t_0} p(t) \, \mathrm{d}t,$$

and considering again a negligibly small displacement at the end of the loading, $x(t_0) \approx 0$, one has

$$x(t-t_0) \cong rac{1}{m\omega_{
m n}} \int_0^{t_0} p(t) \, \mathrm{d}t \; \sin \omega_{
m n}(t-t_0).$$

Please note that the above equation is exact for an infinitesimal impulse loading.

SDOF I

Response to infinitesimal

impulse

Undamped SDOF

For an infinitesimal impulse, the impulse-momentum is exactly $p(\tau) d\tau$ and the response is

$$dx(t-\tau) = rac{p(\tau) d\tau}{m\omega_{\rm n}} \sin \omega_{\rm n}(t-\tau), \quad t > \tau,$$

and to evaluate the response at time t one has simply to sum all the infinitesimal contributions for $\tau < t$,

$$x(t) = \frac{1}{m\omega_n} \int_0^t p(\tau) \sin \omega_n(t-\tau) \, d\tau, \quad t > 0.$$

This relation is known as the Duhamel integral, and tacitly depends on initial rest conditions for the system.

Damped SDOF

SDOF linear

oscillator

Giacomo Boffi

Response to infinitesimal

impulse

The derivation of the equation of motion for a generic load is analogous to what we have seen for undamped SDOF, the infinitesimal contribution to the response at time t of the load at time τ is

$$dx(t) = \frac{p(\tau)}{m\omega_D} d\tau \sin \omega_D(t-\tau) \exp(-\zeta \omega_n(t-\tau)) \quad t \ge \tau$$

and integrating all infinitesimal contributions one has

$$x(t) = rac{1}{m\omega_D} \int_0^t p(\tau) \sin \omega_D(t-\tau) \exp(-\zeta \omega_{\mathsf{n}}(t-\tau)) d\tau, \quad t \ge 0.$$

SDOF linear oscillator

Giacomo Boffi

Response to Periodic Loading

ourier Transform

Fourier Transform

General Dynamic Loadings Response to infinitesimal

impulse Numerical integration of Duhamel integral Undamped SDOF systems Damped SDOF systems Relationship between time

Numerical evaluation of Duhamel integral, Evaluation of Duhamel integral, undamped SDOF linear SDOF linear oscillator oscillator undamped Giacomo Boffi Giacomo Boffi Using the trig identity $\sin(\omega_{\rm n}t - \omega_{\rm n}\tau) = \sin\omega_{\rm n}t\cos\omega_{\rm n}\tau - \cos\omega_{\rm n}t\sin\omega_{\rm n}\tau$ Usual numerical procedures can be applied to the evaluation the Duhamel integral is rewritten as of \mathcal{A} and \mathcal{B} , e.g., using the trapezoidal rule, one can have, $x(t) = \frac{\int_0^t p(\tau) \cos \omega_n \tau \, d\tau}{m \omega_n} \sin \omega_n t - \frac{\int_0^t p(\tau) \sin \omega_n \tau \, d\tau}{m \omega_n} \cos \omega_n t$ with $A_N = A(N\Delta\tau)$ and $y_N = p(N\Delta\tau)\cos(N\Delta\tau)$ Undamped SDOF system: Undamped SDOF system $\mathcal{A}_{N+1} = \mathcal{A}_N + \frac{\Delta \tau}{2m\omega_n} \left(y_N + y_{N+1} \right).$ $= \mathcal{A}(t) \sin \omega_{n} t - \mathcal{B}(t) \cos \omega_{n} t$ where $\begin{cases} \mathcal{A}(t) = \frac{1}{m\omega_{n}} \int_{0}^{t} p(\tau) \cos \omega_{n} \tau \, d\tau \\ \mathcal{B}(t) = \frac{1}{m\omega_{n}} \int_{0}^{t} p(\tau) \sin \omega_{n} \tau \, d\tau \end{cases}$

Evaluation of Duhamel integral, damped

For a damped system, it can be shown that

$$x(t) = \mathcal{A}(t) \sin \omega_D t - \mathcal{B}(t) \cos \omega_D t$$

with

$$\mathcal{A}(t) = \frac{1}{m\omega_D} \int_0^t p(\tau) \frac{\exp \zeta \omega_n \tau}{\exp \zeta \omega_n t} \cos \omega_D \tau \, d\tau,$$
$$\mathcal{B}(t) = \frac{1}{m\omega_D} \int_0^t p(\tau) \frac{\exp \zeta \omega_n \tau}{\exp \zeta \omega_n t} \sin \omega_D \tau \, d\tau.$$

Transfer Functions

The response of a linear SDOF system to arbitrary loading can be evaluated by a convolution integral in the time domain,

$$x(t) = \int_0^t p(\tau) h(t-\tau) d\tau,$$

with the unit impulse response function $h(t) = \frac{1}{m\omega_D} \exp(-\zeta \omega_n t) \sin(\omega_D t)$, or through the frequency domain using the Fourier integral

$$x(t) = \int_{-\infty}^{+\infty} H(\omega) P(\omega) \exp(i\omega t) d\omega,$$

where $H(\omega)$ is the complex frequency response function.

Numerical evaluation of Duhamel integral, damped

Numerically, using e.g. Simpson integration rule and $y_N = p(N\Delta\tau)\cos\omega_D\tau,$

$$\mathcal{A}_{N+2} = \mathcal{A}_N \exp(-2\zeta\omega_n \Delta \tau) + \frac{\Delta \tau}{3m\omega_D} \left[y_N \exp(-2\zeta\omega_n \Delta \tau) + 4y_{N+1} \exp(-\zeta\omega_n \Delta \tau) + y_{N+2} \right]$$
$$N = 0, 2, 4, \cdots$$

Relationship between time

Transfer Functions

SDOF linear

oscillator

Giacomo Boffi

Damped SDOF systems

SDOF linear

oscillator

Giacomo Boffi

Relationship between time

and frequency domain

These response functions, or *transfer* functions, are connected by the direct and inverse Fourier transforms:

$$H(\omega) = \int_{-\infty}^{+\infty} h(t) \exp(-i\omega t) dt,$$
$$h(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} H(\omega) \exp(i\omega t) d\omega.$$

SDOF linear oscillator

Giacomo Boffi

Relationship between time and frequency domain

Giacomo Boffi

Damped SDOF systems

Relationship of transfer functions

We write the response and its Fourier transform:

$$x(t) = \int_0^t p(\tau)h(t-\tau) d\tau = \int_{-\infty}^t p(\tau)h(t-\tau) d\tau$$
$$X(\omega) = \int_{-\infty}^{+\infty} \left[\int_{-\infty}^t p(\tau)h(t-\tau) d\tau \right] \exp(-i\omega t) dt$$

the lower limit of integration in the first equation was changed from 0 to $-\infty$ because $p(\tau) = 0$ for $\tau < 0$, and since $h(t - \tau) = 0$ for $\tau > t$, the upper limit of the second integral in the second equation can be changed from t to $+\infty$,

$$X(\omega) = \lim_{s \to \infty} \int_{-s}^{+s} \int_{-s}^{+s} p(\tau)h(t-\tau) \exp(-i\omega t) dt d\tau$$

Relationship of transfer functions

Our last relation was

$$X(\omega) = P(\omega) \int_{-\infty}^{+\infty} h(\theta) \exp(-i\omega\theta) \, d\theta$$

but $X(\omega) = H(\omega)P(\omega)$, so that, noting that in the above equation the last integral is just the Fourier transform of $h(\theta)$, we may conclude that, effectively, $H(\omega)$ and h(t)form a Fourier transform pair.

SDOF linear

oscillator

Giacomo Boffi

Relationship between time

and free

SDOF linear oscillator Giacomo Boffi

Relationship between time and frequency domain

$$= P(\omega) \int_{-\infty}^{\infty} h(\theta) \exp(-i\omega\theta) d\theta$$

where we have recognized that the first integral is the Fourier transform of p(t).

 $X(\omega) = \int_{-\infty}^{+\infty} p(\tau) \exp(-i\omega\tau) d\tau \int_{-\infty}^{+\infty} h(\theta) \exp(-i\omega\theta) d\theta$

Relationship of transfer functions

Introducing a new variable
$$\theta = t - \tau$$
 we have

$$X(\omega) = \lim_{s \to \infty} \int_{-s}^{+s} p(\tau) \exp(-i\omega\tau) d\tau \int_{-s-\tau}^{+s-\tau} h(\theta) \exp(-i\omega\theta) d\theta^{\text{The Discrete}}_{\text{Response to}}$$

SDOF linear

oscillator

Giacomo Boffi

Relationship between tim

and frequency domain

with $\lim_{s\to\infty}s-\tau=\infty$, we finally have

 $r+\infty$